UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/596,513	12/20/2007	Torben Melsen	P18557US1	7479
27045 ERICSSON INC			EXAMINER	
6300 LEGACY		HARLEY, JASON A		
M/S EVR 1-C-11 PLANO, TX 75024			ART UNIT	PAPER NUMBER
			2468	
			NOTIFICATION DATE	DELIVERY MODE
			01/21/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

kara.coffman@ericsson.com jennifer.hardin@ericsson.com melissa.rhea@ericsson.com

	Application No.	Applicant(s)				
Office Action Occurrence	10/596,513	MELSEN, TORBEN				
Office Action Summary	Examiner	Art Unit				
	Jason Harley	2468				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20 Au	iaust 2010.					
2a) This action is FINAL . 2b) ⊠ This action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-18 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-18</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) ☑ The drawing(s) filed on <u>20 December 2007</u> is/are: a) ☑ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the o	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) DNotice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date 5) Notice of Informal Patent Application					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P	ателт Аррисаноп				
S Patent and Trademark Office	· — —					

Art Unit: 2468

Response to Amendment

This communication is in response to the application filed on 8/20/10 in which claims 1, 5, 10, 14 have been amended and claims 1-18 have been presented for examination.

Response to Arguments

1. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/20/10 has been entered.

Art Unit: 2468

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 1, 4, 10, 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Owens et al. U.S. PG Pub No. (2003/0039244) in view of Sundaresan et al. (2002/0101881).

As to claim 1, Owens teaches an Ethernet Digital Subscriber Line Access Multiplexer (DSLAM) for providing dynamic service selection and end-user configuration of service bindings in a digital communication system, said Ethernet DSLAM comprising: means for receiving login credentials and a service request from an end-user device; means for authenticating the login credentials through an authentication server (Owens, par 0050, 0051). The paragraph shows a point to point protocol Ethernet network using DSLAM to provide a service having a means for receiving a user identifier or passwords through a server for authentication.

Owens show configuring the Ethernet DSLAM to provide an advance service binding corresponding to the requested service (par 0045), utilizing a plurality of

attributes received from the authentication server including an identification of an access network for the requested service, and an identification of a Permanent Virtual Circuit (PVC) on a local DSL loop associated with the end-user device (par 0005, 0006, 0016, 0017, 0025, 0047, 0062). The paragraphs show identifying a user's identification of a local area network and PVC on DSL, and utilizing attributes such as identification of an access network for the requested service, and an identification of a Permanent Virtual Circuit (PVC).

Owens also show means for training a bridging network terminal (NT) having a plurality of PVCs to utilize the identified PVC for sending upstream traffic from the enduser terminal to the Ethernet DSLAM, said training means including means for sending initial downstream traffic from the Ethernet DSLAM to the end-user device utilizing the identified PVC (par 0006, 0012-0017, 0040). The paragraphs show bridging a terminal to PVCs to utilize upstream and downstream traffic.

Owens fails to show utilizing a plurality of attributes received from the authentication server wherein by configuring the Ethernet DSLAM to provide the advanced service binding a Broadband Remote Access Server (BRAS) is no longer needed.

In an analogous art Sundaresan show wherein by configuring the Ethernet DSLAM to provide the advanced service binding a Broadband Remote Access Server (BRAS) is no longer needed (Sundaresan, par 0014, 0018, 0020, 0023). The paragraphs show the DSLAM provides the advanced service binding.

Art Unit: 2468

scalability.

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens and Sundaresan DSLAM providing the service prevents a single point of failure, poor downward scalability and poor upward

As to claim 4, Owens and Sundaresan convey the Ethernet DSLAM of claim 1, wherein the means for authenticating includes a RADIUS client that communicates with an external RADIUS authentication server (Owens, par 0047, 0048). The paragraph shows the authentication servers use Radius for communication which use shown to separate or as a single server.

As to claim 10, Claim 10 is a claim to a method to carry out the DSLAM of claim 1. Therefore claim 10 is rejected under the same rationale set forth in claim 1.

As to claim 13, Claim 13 is a claim to a method to carry out the DSLAM of claim 4. Therefore claim 13 is rejected under the same rationale set forth in claim 4.

Claim Rejections - 35 USC § 103

5. Claims 2, 3, 5-9, 11, 12, 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Owens et al. U.S. PG Pub No. (2003/0039244), Sundaresan et al. (2002/0101881) in view of Holmgren et al. U.S. Patent No. (7,277,442).

As to claim 2, Owens and Sundaresan describe the Ethernet DSLAM of claim 1, wherein the end-user device has a Media Access Control (MAC) address (par 0052). Owens show where the device has a MAC address using DSLAM, and Owens fails to show the requested service is accessed through a Service Virtual Local Area Network (S-VLAN), and the Ethernet DSLAM includes means for mapping the S-VLAN for the requested service to the MAC address for the end-user device.

In analogous art Holmgren show the requested service is accessed through a Service Virtual Local Area Network (S-VLAN), and the Ethernet includes means for mapping the S-VLAN for the requested service to the address for the end-user device (Holmgren, col 1, In 6-9, col 4, In 39-50, col 5, In 45-50). It is shown where a service is accessed though an S-VLAN and where the Ethernet network includes mapping a service to an address.

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens, Sundaresan and Holmgren because a way of conserving mapping assignments for internetworking Ethernet and ATM networks by mapping VLAN identifiers to PVCs.

As to claim 3, Owens and Sundaresan present the Ethernet DSLAM of claim 1, wherein the means for receiving login credentials and a service request from an enduser device includes an Ethernet DSLAM (par 0051). The paragraph shows a point to point protocol Ethernet network using DSLAM. Owens fails to show User Virtual Local Area Network (U-VLAN) through which the Ethernet communicates with the end-user device, and the requested service is accessed through a Service Virtual Local Area Network (S-VLAN), and the Ethernet DSLAM includes means for mapping the S-VLAN for the requested service to the U-VLAN for the end- user device.

In an analogous art Holmgren show User Virtual Local Area Network (U-VLAN) through which the Ethernet communicates with the end-user device, and the requested service is accessed through a Service Virtual Local Area Network (S-VLAN), and the Ethernet DSLAM includes means for mapping the S-VLAN for the requested service to the U-VLAN for the end- user device (Holmgren, col 5, In 39-55). The column shows a customer VLAN which the Ethernet communicates with to map SVLAN to the customer VLAN.

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens, Sundaresan and Holmgren because a way

of conserving mapping assignments for internetworking Ethernet and ATM networks by mapping VLAN identifiers to PVCs.

As to claim 5, Owens illustrates an Ethernet Digital Subscriber Line Access Multiplexer (DSLAM) or providing dynamic service selection and end-user configuration of service bindings in a digital communication system, said Ethernet DSLAM comprising: a plurality of subscriber ports for receiving login credentials and service requests from end-user devices, and for communicating data traffic to and from the end-user devices, wherein an identified subscriber port communicates with an identified end-user device (Owens, par 0049-0051). The paragraph shows a point to point protocol Ethernet network using DSLAM to provide a service having a means for receiving a user identifier or passwords through a server for authentication.

Owens show a RADIUS client that sends login credentials and a service request from the identified end-user device to an external RADIUS server for authentication and receives a plurality of attributes from the external RADIUS server, and utilizes the attributes to configure the Ethernet DSLAM to provide an advance service binding corresponding to the requested service, and an identification of a Permanent Virtual Circuit (PVC) on a local DSL loop associated with the end-user device a Service Selection Controller that receives the attributes from the RADIUS client (par 0005, 0006, 0016, 0017, 0025, 0047, 0062). From the applicant's specification the service selection

controller is located in side the DLSAM. The paragraph shows the authentication servers use Radius for communication and configuring and communicating with an Ethernet DSLAM to provide identification for PVCs on DSL.

Owens fails to show a traffic mapper that maps data traffic between a plurality of Service Virtual Local Area Networks (S-VLANs) and the subscriber ports; said attributes including an identification of an S-VLAN through which the requested service is accessed and sends mapping control information to the traffic mapper, thereby enabling the traffic mapper to establish a service binding between the identified end-user device and the S- VLAN through which the requested service is accessed.

In an analogous art Holmgren show a traffic mapper that maps data traffic between a plurality of Service Virtual Local Area Networks (S-VLANs) and the subscriber ports; said attributes including an identification of an S-VLAN through which the requested service is accessed and sends mapping control information to the traffic mapper, thereby enabling the traffic mapper to establish a service binding between the identified end-user device and the S- VLAN through which the requested service is accessed (Holmgren, col 1, In 6-34, col 4, In 39-50, col 5, In 45-50). It is shown where a service is accessed though an S-VLAN, which is also shown to communicate through an Ethernet network to access Vans on a per port basis, and it is shown where the Ethernet network includes mapping a service to an address.

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens and Holmgren because a way of conserving

mapping assignments for internetworking Ethernet and ATM networks by mapping VLAN identifiers to PVCs.

Owens and Holmgren fails to show utilizing a plurality of attributes received from the authentication server wherein by configuring the Ethernet DSLAM to provide the advanced service binding a Broadband Remote Access Server (BRAS) is no longer needed.

In an analogous art Sundaresan show wherein by configuring the Ethernet DSLAM to provide the advanced service binding a Broadband Remote Access Server (BRAS) is no longer needed (Sundaresan, par 0014, 0018, 0020, 0023) the paragraphs show the DSLAM provides the advanced service binding.

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens, Holmgren, and Sundaresan DSLAM providing the service prevents a single point of failure, poor downward scalability and poor upward scalability.

As to claim 6, Owens, Sundaresan, and Holmgren define the Ethernet DSLAM of claim 5, wherein the service binding is established utilizing the IEEE802. I x protocol. From applicants specification IEEE802. I x is an integrated part of Windows XP operating system (Owens, par 0015). The paragraph shows using Windows operating system.

As to claim 7, Owens, Sundaresan, and Holmgren create the Ethernet DSLAM of claim 5, wherein the service binding is established utilizing the Point-to-Point Protocol over Ethernet (PPPoE) protocol (Owens, par 0008). It is shown utilizing Point-to-Point Protocol over Ethernet.

As to claim 8, Owens, Sundaresan, and Holmgren expose the Ethernet DSLAM of claim 5, further comprising a Dynamic Host Configuration Protocol (DHCP) server that answers DHCP requests sent by the identified end-user device prior to establishment of the service binding, said DHCP server sending a temporary configuration and a short lease time to the identified end- user device (par 0019, 0088, 0090). The paragraph shows using a DHCP server establishing a temporary configuration and having a lease time to authenticate a user.

As to claim 9, Owens, Sundaresan, and Holmgren explain the Ethernet DSLAM of claim 8, wherein the DHCP server ignores DHCP requests sent by the identified enduser device after establishment of the service binding, thereby forcing the end-user device to broadcast a DHCP discover message which is passed on to a second DHCP server in the through which the requested service is accessed (Owens, par 0055, 0063, 0065). The paragraphs show sending a broadcast of discover message by a DHCP server.

Owens fails to show using SVLAN. In analogous art Holmgren shows using SVLAN (Holmgren, col 4, In 39-50, col 5, In 45-50). It is shown where a service is accessed though an S-VLAN

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens, Sundaresan, and Holmgren because a way of conserving mapping assignments for internetworking Ethernet and ATM networks by mapping VLAN identifiers to PVCs.

As to claim 11, Claim 11 is a claim to a method to carry out the DSLAM of claim 2. Therefore claim 11 is rejected under the same rationale set forth in claim 2.

As to claim 12, Claim 12 is a claim to a method to carry out the DSLAM of claim 3. Therefore claim 12 is rejected under the same rationale set forth in claim 3.

As to claim 14, Claim 14 is a claim to a method to carry out the DSLAM of claim 5. Therefore claim 14 is rejected under the same rationale set forth in claim 5.

As to claim 15, Claim 15 is a claim to a method to carry out the DSLAM of claim 6. Therefore claim 15 is rejected under the same rationale set forth in claim 6.

As to claim 16, Claim 16 is a claim to a method to carry out the DSLAM of claim 7.

Therefore claim 16 is rejected under the same rationale set forth in claim 7.

As to claim 17, Claim 17 is a claim to a method to carry out the DSLAM of claim 8.

Therefore claim 17 is rejected under the same rationale set forth in claim 8.

As to claim 18, Owens, Sundaresan, and Holmgren demonstrate the method of claim 14, further comprising the steps of: receiving by the Ethernet DSLAM, a Dynamic Host Configuration Protocol (DHCP) request from the identified end-user device; determining by the Ethernet DSLAM, whether the service binding has been established; upon determining that the service binding has not been established, sending an answer to the end-user device from a DHCP server in the Ethernet DSLAM (Owens, fig 1, par 0019, 0051, 0052, 0074). The paragraphs show using a DSLAM server to serve and receive DHCP request and determining that the service whether or not service has been established.

Owens show wherein the answer includes a temporary configuration and a short lease time; and upon determining that the service binding has been established, ignoring the DHCP request, thereby forcing the end-user device to broadcast a DHCP discover message which is passed on to a second DHCP server through which the requested service is accessed (par 0019, 0055, 0063, 0065, 0088, 0090). The paragraph shows using a DHCP server establishing a temporary configuration and

having a lease time to authenticate a user, and sending a broadcast of discover message by a DHCP server

Owens fails to show using SVLAN. In analogous art Holmgren shows using SVLAN (Holmgren, col 4, In 39-50, col 5, In 45-50). It is shown where a service is accessed though an S-VLAN

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the invention it would have been obvious to one of ordinary skill in the art to combine the teachings of Owens, Sundaresan, and Holmgren because a way of conserving mapping assignments for internetworking Ethernet and ATM networks by mapping VLAN identifiers to PVCs.

Response to Arguments

In the Applicant's previous response, it was argued that the claimed invention has a different purpose than Owens. Owens's main objective is to automate the configuration of the DSL modem and eliminate manual configuration tasks previously performed by the end user. Owens still has a conventional DSLAM in the process as well as a conventional Broadband Remote Access Server (BRAS) for configuring the advanced service binding. The Applicant's claimed invention, on the other hand, modifies the DSLAM to provide the advanced service binding

Art Unit: 2468

(between the IP client and the service). This function was previously performed in the BRAS. Thus, the BRAS is no longer needed for configuration of the service bindings. This eliminates several problems with the BRAS-based service binding procedure, which Owens does not solve.

- 2) The Examiner did not give any weight to the Applicant's argument because the claims do not expressly recite that the claimed DSLAM eliminates the need for the BRAS. The Applicant has amended independent claims 1, 5, 10, and 14 to recite that the claimed DSLAM eliminates the need for the BRAS.
- 3) As noted in the Applicant's previous response, Owens does not disclose or suggest this feature since Owens still has a conventional DSLAM in the process as well as a conventional BRAS for configuring the advanced service binding. Therefore, the withdrawal of the § 102 rejection and the allowance of amended independent claims 1 and 10, and dependent claims 4 and 13 are respectfully requested.

Examiner disagrees but in an analogous art Sundaresan show wherein by configuring the Ethernet DSLAM to provide the advanced service binding a Broadband Remote Access Server (BRAS) is no longer needed (Sundaresan, par 0014, 0018, 0020, 0023). The paragraphs show the DSLAM provides the advanced service binding.

Art Unit: 2468

4) Like claims 1 and 10 above, independent claims 5 and 14 have been amended to clarify that the DSLAM is configured to provide the advanced service binding corresponding to the requested service, and to recite that the claimed DSLAM eliminates the need for the BRAS. Like Owens, Holmgren does not disclose or suggest such a DSLAM or method. Therefore, the withdrawal of the § 103 rejection and the allowance of amended independent claims 5 and 14 are respectfully requested.

5) Claims 2-3, 6-9, 11-12, and 15-18 depend from amended base claims 1, 5, 10, and 14, respectively, and recite further limitations in combination with the novel and unobvious elements of the amended base claims. Therefore, the allowance of claims 2- 3, 6-9, 11-12, and 15-18 is respectfully requested.

Examiner respectfully disagrees please refer to claim rejections and above response to arguments. Claims 1 and 10 are rejected by Owens in view of Sundaresan.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Harley whose telephone number is (571)270-5435. The examiner can normally be reached on Monday- Friday 7:00am-4:30pm est.

Art Unit: 2468

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571)272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free)? If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JH

/NATHAN FLYNN/ Supervisory Patent Examiner, Art Unit 2468